EWING ONNO

GRAINFATHER



G SERIES

Our most advanced homebrewing systems with connectivity that allows you to control your brew via the Grainfather App. Feeling thirsty?

EXPERIMENT WITH ME





330) BREWING SYSTEN

The Grainfather **G**30 is a multi award-winning brewing system that has a 30L (8 US Gal) capacity, which is designed to make up to 23L (6 US Gal) of beer from one brew. With app integration, innovative features, and intuitive design, it's perfect for both beginner and experienced homebrewers.

FEATURES

- Sleek 304 grade stainless steel body
- Connect your mobile device to the Bluetooth controller via the Grainfather App and manage your brew remotely
- A robust magnetic drive pump for maximum brewing efficiencies
- An extendable grain basket that is designed to hold different weights of grain

- Efficient and sanitary brew transfer with the counterflow wort chiller
- Clips to easily attach the alembic dome accessory, allowing you to convert your G30 into a microdistillery
- Available in both 220V and 110V in the US
- Backed by a 3-year warranty

SPECIFICATIONS

BATCH VOLUME:

SIZE: 733 x 386mm (29 x 15")

WEIGHT: 17kg (37lb)
CAPACITY: 30L (8 US Gal)

Max: 23L (6 US Gal)

Min: 10L (3 US Gal)*

GRAIN BILL: Max: 9kg (20lb)

Min: 5kg (11lb)

POWER: NZ, AU, EU, UK, US: 2000W. 220–240V

Also in the US:

1600W. 110–120V

CONNECTIVITY: Bluetooth control

WHAT'S INCLUDED

Grainfather **G**30

Bluetooth controller

Counterflow wort chiller Inner basket

Overflow pipework

Top & bottom plate

Lifting handle Grain stopper Glass lid

Recirculation pipe

Filter

Hose fittings

*10L (3 US Gal) batch volumes are only achievable with the micro pipework (sold separately)

I'M BIGGER & SMARTER







G40 BREWING SYSTEM

The Grainfather **G**40 brewing system has a bigger capacity and better connectivity. Produce up to 40L (11 US Gal) of beer from one brew. Connect your mobile device to the smart controller with built-in wireless control via the Grainfather App, for step-by-step brewing and access to bazillions of recipes.

FEATURES

- Sleek 304 grade stainless steel body
- Heats wort evenly with large, surface mounted heating elements
- Connect your mobile device to the smart wireless controller via the Grainfather App and manage your brew remotely
- Conical base for maximum wort transfer
- Efficient and sanitary brew transfer with the counterflow wort chiller
- PID heating control for accurate temperature management during mashing

- Quick and easy cleaning with CIP (clean in place) capability
- Integrated sight glass for easy volume reading
- Rolled edge mash plate and large hop filter to reduce blockages
- Compatible with 10 and 15 amp modes (15 amp NZ/AU only)
- Backed by a 3-year warranty

SPECIFICATIONS

WEIGHT:

SIZE: 650 x 530mm (26 x 21")

CAPACITY: 46L (12 US GaI)
BATCH VOLUME: Max: 40L (11 US GaI)

Min: 10L (3 US Gal)

GRAIN BILL: Max: 13kg (29lb)

Min: 3kg (7lb)

29kg (64lb)

POWER: NZ, AU: 2300 - 3200W, 230V

UK: 2900W, 230V US, EU: 3300W, 230V

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather **G**40

Smart controller with

built-in wireless connectivity

Counterflow wort chiller

Glass lid

Lifting bar

Inner basket

Recirculation hose

Grain plate

Hop filter

Fittings

GOON, ALOVEA CHALLENGE



G70) BREWING SYSTEM

The Grainfather **G**70 is the ultimate brewing system with a gigantic 70L (18 US Gal) capacity, allowing you to create 60L (16 US Gal) batches of beer at a time. The perfect match for experienced brewers, with built-in wireless connectivity, so you can connect to the Grainfather App for guided brewing and access to brewing tools, recipes and calculators.

FEATURES

- · Sleek 304 grade stainless steel body
- Connect your mobile device to the smart wireless controller via the Grainfather App and manage your brew remotely
- Conical base for maximum wort transfer
- An extendable grain basket that is designed to hold different weights of grain
- Efficient and sanitary brew transfer with the counterflow wort chiller

- Quick and easy cleaning with CIP (clean in place) capability
- PID heating control for accurate temperature management during mashing
- Integrated sight glass for easy volume reading
- Rolled edge mash plates and large dual stage hop filter to reduce blockages
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 830 x 530mm (33 x 21")

WEIGHT: 37kg (81lb)
CAPACITY: 70L (18 US Gal)

BATCH VOLUME: Max: 60L (16 US Gal)

Min: 40L (11 US Gal)

GRAIN BILL: Max: 17kg (37lb)

Min: 8kg (18lb)

POWER: NZ, AU, EU, US: 3300W. 220–240V

UK: 2900W, 220-240V

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather **G**70

Smart controller with built-in wireless connectivity

Counterflow wort chiller

Hop filter Grain basket

Bottom & top plates

Overflow pipework

Grain stopper

Glass lid

Lifting bar

Recirculation hose

CONTROL ME FROM ANYWHERE





The Grainfather **G**F30 conical fermenter is designed to hold up to 30L (8 US Gal) of wort. With a digital temperature controller that has built-in wireless control, you can connect to the Grainfather App via your mobile device. Add fermentation tracking devices and manage your fermentation from anywhere.

FEATURES

- · Sleek 304 grade stainless steel body
- Connect your mobile device to the built-in, wireless controller via the Grainfather App and manage your fermentation from anywhere
- Double-walled for constant and stable temperature control
- Golden angle conical avoids yeast and sediment getting stuck to the sides of the fermenter

- Dual valve tap allows you to easily dump yeast, transfer your brew and take samples
- Integrated 30W heating element and cooling sleeve both sit within the cavity of the fermenter to control and maintain the temperature evenly

NOTE: Cooling functionality only available when connected to the **G**C4 or the cooling pump kit (each sold separately)

• Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 910 x 360mm (36 x 14")

WEIGHT: 10kg (22lb)

CAPACITY: 30L (8 US Gal)

POWER: 12V transformer

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather **G**F30

Built-in controller with wireless connectivity

Silicone bung & airlock

Dual valve tap

Power cables

Silicone transfer hose

PAIR WITH Grainfather GC4

CONSISTENCY IS MY MIDDLE NAME







GLYCOL CHILLER

The Grainfather **G**C4 glycol chiller allows you to take your fermentation to another level. Power and control the temperature of up to four **G**F30s, each with different temperatures and their own fermenting schedules. By accurately controlling the temperature of your fermentation, you can produce consistent beers, every time.

FEATURES

- Sleek and compact design with LED control display
- Control and power up to four Grainfather GF30s at different temperatures and fermenting schedules
- Cold crash 23L (6 US Gal) of wort to temperatures as low as 4 - 6°C (39 - 43°F)
- Compatible with the Grainfather App when connected to a GF30 or GCA KIT, for managing your fermentation from anywhere
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 656 x 390mm (26 x 15")

WEIGHT: 28kg (62lb)

CAPACITY: 6L (2 US Gal) glycol tank

POWER: NZ, AU, EU, UK:

300W, 220-240V

US: 300W, 110-120V

CONNECTIVITY: None (wireless control

available when used with

the GF30 or GCA KIT)

WHAT'S INCLUDED

Grainfather GC4

3L (1 US Gal) propylene glycol

2 x cooling connection couplers

2 x 2m (6.5ft) insulated hoses

Glycol funnel

Silicone tube for priming pump

PAIR WITH Grainfather GF30, or SF70 & GCA KIT

I'M THE FERMENTATION OF MIDDLEMAN



KIT)GLYCOL CHILLER ADAPTER KI

The Grainfather **G**CA Kit makes accurate temperature control more accessible for brewers. Whether you have a plastic or stainless steel fermenter, bucket or barrel, or even a conical, this kit has everything that you need to connect your fermenter to the **G**C4. Take control of your fermentation and create even better beers.

FEATURES

- Compact design with colour display screen
- Use the GCA to connect a variety of different fermenters to the GC4 for accurate temperature control during fermentation
- Wireless capabilities, making it compatible with the Grainfather App so you can control your fermentation from anywhere
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE:

101 x 63mm (4 x 2")

GCA:

GCA:

Heating pad: 80 x 220mm (3 x 9") Cooling coil:

520 x 119mm (20 x 5")

CABLE LENGTH:

2m (6.5ft) Heating pad: 2m (6.5ft)

Temperature probe:

2m (6.5ft)

POWER: GCA:

12V

Heating pad:

30W

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather **G**CA

Heating pad
Cooling coil

Rubber bung

Temperature probe

Hoses

2 x hose clamps

4 x rubber bung stoppers

NOTE: GC4 and fermenter

are not included

SAY HELLO TO THE G SER

Within the G SERIES range of equipment lies our most advanced homebrewing systems.





Every innovative piece of equipment gives you the ability to control your brew from the Grainfather App.



If you're serious about brewing, always searching for better and never settle for anything other than perfect, then our G SERIES range of equipment will help fuel your passion.











DOWNLOAD THE FREE GRAINFATHER APP NOW

THE (S SEBIES SAY HELLO TO



that are packed full of features. includes sleek, stainless steel systems The S SERIES range of equipment



delicious, consistent brews. easy-to-use, allowing you to create Each reliable piece of equipment is

taste with our **S** SERIES products and find your new obsession. to experience. Discover how good making your own beer can tasting beer. But, there's another level of beer-sipping satisfaction If you're a craft beer enthusiast, you'll know all about great





yeast and sediment. take samples, and dump yeast to avoid the build-up of with an intuitive design, you can easily adjust the height, It's sleek, stainless steel finish makes cleaning simple and hold big batches of wort with a 70L capacity (18 US Gal). The Grainfather SF70 conical fermenter has been built to

FEATURES

- temperature readings built-in thermowell for accurate Insert temperature probes into the
- valve on the side of the unit yeast and trub line with an accessible Transfer and take samples above the
- Backed by a 2-year warranty

- Sleek 304 grade stainless steel body
- the fermenter sediment getting stuck to the sides of Golden angle conical avoids yeast and
- for easy manoeuvrability · Adjustable leg height and rolling wheels
- · Easily dump yeast with a separate valve

WHAT'S INCLUDED

Grainfather SF70

Rubber bung & airlock

Sample valve Thermowell

Legs & castors Dump valve

SPECIFICATIONS

1300 x 410mm (51 x 16")

None

12kg (26lb) WEIGHT:

None POWER: 70L (18 US Gal) :YTIOA9AO

CONNECTIVITY:

:3ZIS



TRUST MAN TRUST I KINOWN WOUND IN INDOM NO IN INCOME.



and is packed full of features to make every brew easy. you, this product has a high grade stainless steel build beer every time that you brew. Don't let the price fool Gal) capacity, allowing you to create 40L (11 US Gal) of The Grainfather **5**40 brewing system has a 46L (12 US

EEATURES

- efficient mashing · Recirculation arm for more
- Backed by a 2-year warranty
- Sleek 304 grade stainless steel body
- digital controller with colour display · Easily manage heating using the
- brewing efficiencies · Built in pump for maximum
- stainless steel immersion chiller · Easily cool wort with the

WHAT'S INCLUDED

Grainfather 540

Grain basket

Immersion chiller & hoses

Connection fittings Recirculation arm & wort sprayer

Min: 5kg (11b) Max: 10kg (22lb) GRAIN BILL:

2300W, 220V POWER:

SPECIFICATIONS

BATCH VOLUME:

CAPACITY:

WEIGHT:

:3ZIS

None CONNECTIVITY:



Min: 10L (3 US Gal)

Max: 40L (11 US Gal)

(27 x 72) mm084 x 089

4PF (12 US Gal)

S2Kg (55lb)







NO-NONSENSE BREWING

Homebrewing systems that are easy-to-use and packed full of features, making it simple to create a smooth, consistent brew. Feeling thirsty?

2 SEBIES



