



G SERIES

Our most advanced homebrewing systems with connectivity that allows you to control your brew via the Grainfather App. Feeling thirsty?

EXPERIMENT WITH ME





BREWING SYSTEN

The Grainfather **G**30 is a multi award-winning brewing system that has a 30L (8 US Gal) capacity, which is designed to make up to 23L (6 US Gal) of beer from one brew. With app integration, innovative features, and intuitive design, it's perfect for both beginner and experienced homebrewers.

FEATURES

- Sleek 304 grade stainless steel body
- Connect your mobile device to the Bluetooth controller via the Grainfather App and manage your brew remotely
- A robust magnetic drive pump for maximum brewing efficiencies
- An extendable grain basket that is designed to hold different weights of grain

- Efficient and sanitary brew transfer with the counterflow wort chiller
- Clips to easily attach the alembic dome accessory, allowing you to convert your G30 into a microdistillery
- Available in both 220V and 110V in the US
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 733 x 386mm (29 x 15")

 WEIGHT:
 17kg (37lb)

 CAPACITY:
 30L (8 US Gal)

 BATCH VOLUME:
 Max: 23L (6 US Gal)

Min: 10L (3 US Gal)*

GRAIN BILL: Max: 9kg (20lb)

CONNECTIVITY:

Min: 5kg (11lb)

POWER: NZ, AU, EU, UK, US:

2000W, 220-240V

Also in the US: 1600W. 110-120V

Bluetooth control

WHAT'S INCLUDED

Grainfather **G**30 Bluetooth controller Counterflow wort chiller

Inner basket
Overflow pipework

Top & bottom plate Lifting handle

Grain stopper

Recirculation pipe

Filter

Hose fittings

*10L (3 US Gal) batch volumes are only achievable with the micro pipework (sold separately)

I'M BIGGER & SMARTER



The Grainfather **G**40 brewing system has a bigger capacity and better connectivity. Produce up to 40L (11 US Gal) of beer from one brew. Connect your mobile device to the smart controller with built-in wireless control via the Grainfather App, for step-by-step brewing and access to bazillions of recipes.

FEATURES

- Sleek 304 grade stainless steel body
- Heats wort evenly with large, surface mounted heating elements
- Connect your mobile device to the smart wireless controller via the Grainfather App and manage your brew remotely
- Conical base for maximum wort transfer
- Efficient and sanitary brew transfer with the counterflow wort chiller
- PID heating control for accurate temperature management during mashing

- Quick and easy cleaning with CIP (clean in place) capability
- Integrated sight glass for easy volume reading
- Rolled edge mash plate and large hop filter to reduce blockages
- Compatible with 10 and 15 amp modes (15 amp NZ/AU only)
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 650 x 530mm (26 x 21")

 WEIGHT:
 29kg (64lb)

 CAPACITY:
 46L (12 US gal)

 BATCH VOLUME:
 Max: 40L (11 US gal)

Min: 10L (3 US gal)

GRAIN BILL: Max: 13kg (29lb)

Min: 3kg (7lb)

POWER:

NZ, AU: 2300 - 3200W, 230V

UK: 2900W, 230V US. EU: 3300W. 230V

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather **G**40 Smart controller with built-in wireless connectivity Counterflow wort chiller

Glass lid Lifting bar Inner basket Recirculation hose

Grain plate Hop filter Fittings

GOON, A LOVE A CHALLENGE



The Grainfather **G**70 is the ultimate brewing system with a gigantic 70L (18 US Gal) capacity, allowing you to create 60L (16 US Gal) batches of beer at a time. The perfect match for experienced brewers, with built-in wireless connectivity, so you can connect to the Grainfather App for guided brewing and access to brewing tools, recipes and calculators.

FEATURES

- Sleek 304 grade stainless steel body
- Connect your mobile device to the smart wireless controller via the Grainfather App and manage your brew remotely
- · Conical base for maximum wort transfer
- An extendable grain basket that is designed to hold different weights of grain
- Efficient and sanitary brew transfer with the counterflow wort chiller

- Quick and easy cleaning with CIP (clean in place) capability
- PID heating control for accurate temperature management during mashing
- Integrated sight glass for easy volume reading
- Rolled edge mash plates and large dual stage hop filter to reduce blockages
- · Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 830 x 530mm (33 x 21")

WEIGHT: 37kg (81lb)

CAPACITY: 70L (18 US Gal)

BATCH VOLUME: Max: 60L (16 US Gal)

Min: 40L (11 US Gal)

GRAIN BILL: Max: 17kg (37lb)

Min: 8kg (18lb)

POWER: NZ, AU, EU, US:

3300W, 220-240V

UK: 2900W, 220-240V

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather G70

Smart controller with built-in wireless connectivity

Counterflow wort chiller

Hop filter

Grain basket

Bottom & top plates

Overflow pipework

Grain stopper

Glass lid

Lifting bar

Recirculation hose



CONTROL ME FROM ANYWHERE





30) CONICAL FERMENTE

The Grainfather **G**F30 conical fermenter is designed to hold up to 30L (8 US Gal) of wort. With a digital temperature controller that has built-in wireless control, you can connect to the Grainfather App via your mobile device. Add fermentation tracking devices and manage your fermentation from anywhere.

FEATURES

- · Sleek 304 grade stainless steel body
- Connect your mobile device to the built-in, wireless controller via the Grainfather App and manage your fermentation from anywhere
- Double-walled for constant and stable temperature control
- Golden angle conical avoids yeast and sediment getting stuck to the sides of the fermenter

- Dual valve tap allows you to easily dump yeast, transfer your brew and take samples
- Integrated 30W heating element and cooling sleeve both sit within the cavity of the fermenter to control and maintain the temperature evenly

NOTE: Cooling functionality only available when connected to the **G**C4 or the cooling pump kit (each sold separately)

Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 910 x 360mm (36 x 14")

WEIGHT: 10kg (22lb)

CAPACITY: 30L (8 US Gal)

POWER: 12V transformer

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather GF30

Built-in controller with wireless connectivity

Silicone bung & airlock

Dual valve tap

Power cables

Silicone transfer hose

PAIR WITH Grainfather GC4

CONSISTENCY IS MY MIDDLE NAME



GRAINFATHER LIVER RAIN

34)GLYCOL CHILLER

The Grainfather **G**C4 glycol chiller allows you to take your fermentation to another level. Power and control the temperature of up to four **G**F30s, each with different temperatures and their own fermenting schedules. By accurately controlling the temperature of your fermentation, you can produce consistent beers, every time.

FEATURES

- Sleek and compact design with LED control display
- Control and power up to four Grainfather GF30s at different temperatures and fermenting schedules
- Cold crash 23L (6 US Gal) of wort to temperatures as low as 4 - 6°C (39 - 43°F)
- Compatible with the Grainfather App when connected to a GF30 or GCA KIT, for managing your fermentation from anywhere
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE: 656 x 390mm (26 x 15")

WEIGHT: 28kg (62lb)

CAPACITY: 6L (2 US Gal) glycol tank

POWER: NZ, AU, EU, UK:

300W. 220-240V

US: 300W. 110-120V

CONNECTIVITY: None (wireless control

available when used with

the **G**F30 or **G**CA KIT)

WHAT'S INCLUDED

Grainfather GC4

3L (1 US Gal) propylene glycol 2 x cooling connection couplers

2 x 2m (6.5ft) insulated hoses

Glycol funnel

Silicone tube for priming pump

PAIR WITH Grainfather GF30, or SF70 & GCA KIT



I'M THE FERMENTATION : MIDDLEMAN





A KIT)GLYCOL CHILLER ADAPTER KIT

The Grainfather **G**CA Kit makes accurate temperature control more accessible for brewers. Whether you have a plastic or stainless steel fermenter, bucket or barrel, or even a conical, this kit has everything that you need to connect your fermenter to the GC4. Take control of your fermentation and create even better beers.

FEATURES

- · Compact design with colour display screen
- Use the GCA to connect a variety of different fermenters to the GC4 for accurate temperature control during fermentation
- · Wireless capabilities, making it compatible with the Grainfather App so you can control your fermentation from anywhere
- Backed by a 3-year warranty

SPECIFICATIONS

SIZE: GCA:

101 x 63mm (4 x 2")

Heating pad:

80 x 220mm (3 x 9") Cooling coil:

520 x 119mm (20 x 5")

CABLE LENGTH:

2m (6.5ft) Heating pad: 2m (6.5ft)

GCA:

Temperature probe:

2m (6.5ft)

POWER: GCA:

12V

Heating pad:

30W

CONNECTIVITY: Wireless control

WHAT'S INCLUDED

Grainfather GCA

Heating pad

Cooling coil Rubber bung

Temperature probe

Hoses

2 x hose clamps

4 x rubber bung stoppers

NOTE: GC4 and fermenter

are not included

SAY HELLO TO THE G SERIES

Within the G SERIES range of equipment lies our most advanced homebrewing systems.





Every innovative piece of equipment gives you the ability to control your brew from the Grainfather App.



If you're serious about brewing, always searching for better and never settle for anything other than perfect, then our **G** SERIES range of equipment will help fuel your passion.







SAY HELLO TO THE SERIES



If you're a craft beer enthusiast, you'll know all about great tasting beer. But, there's another level of beer-sipping satisfaction to experience. Discover how good making your own beer can taste with our **S SERIES** products and find your new obsession.



TRUST ME. I KNOW WHAT 'S I'M DOING



F70) CONICAL FERMENTER

The Grainfather **S**F70 conical fermenter has been built to hold big batches of wort with a 70L capacity (18 US Gal). It's sleek, stainless steel finish makes cleaning simple and with an intuitive design, you can easily adjust the height, take samples, and dump yeast to avoid the build-up of yeast and sediment.

FEATURES

- · Sleek 304 grade stainless steel body
- Golden angle conical avoids yeast and sediment getting stuck to the sides of the fermenter
- Adjustable leg height and rolling wheels for easy manoeuvrability
- · Easily dump yeast with a separate valve
- Insert temperature probes into the built-in thermowell for accurate temperature readings
- Transfer and take samples above the yeast and trub line with an accessible valve on the side of the unit
- · Backed by a 2-year warranty

SPECIFICATIONS

SIZE: 1300 x 410mm (51 x 16")

WEIGHT: 12kg (26lb)
CAPACITY: 70L (18 US Gal)

POWER: None CONNECTIVITY: None

WHAT'S INCLUDED

Grainfather SF70

Lid

Rubber bung & airlock

Thermowell
Sample valve
Dump valve
Legs & castors

I'M YOUR NEW OBSESSION





OBREWING SYSTEM

The Grainfather **\$**40 brewing system has a 46L (12 US Gal) capacity, allowing you to create 40L (11 US Gal) of beer every time that you brew. Don't let the price fool you, this product has a high grade stainless steel build and is packed full of features to make every brew easy.

FEATURES

- Sleek 304 grade stainless steel body
- Easily manage heating using the digital controller with colour display
- Built in pump for maximum brewing efficiencies
- Easily cool wort with the stainless steel immersion chiller

- Recirculation arm for more efficient mashing
- Backed by a 2-year warranty

SPECIFICATIONS

SIZE: 680 x 480mm (27 x 19")

WEIGHT: 25kg (55lb)
CAPACITY: 46L (12 US Gal)

BATCH VOLUME: Max: 40L (11 US Gal)
Min: 10L (3 US Gal)

Max: 10kg (22lb)

Min: 5kg (11lb)

POWER: 2300W, 220V

CONNECTIVITY: None

GRAIN BILL:

WHAT'S INCLUDED

Grainfather **\$**40 Grain basket

Lid

Immersion chiller & hoses

Recirculation arm & wort sprayer

Connection fittings







S SERIES

Homebrewing systems that are easy-to-use and packed full of features, making it simple to create a smooth, consistent brew. Feeling thirsty?